

**dröm**<sup>®</sup>  
sauna steam spa



A WORLD OF WELLBEING

Dröm UK Ltd. Dröm House, Abbot Close, Byfleet, Surrey, KT14 7JN.

Tel: 01932 355 655 | Fax: 01932 355651

Email: [info@dromuk.com](mailto:info@dromuk.com) | [www.dromuk.com](http://www.dromuk.com)

[WWW.DROMUK.COM](http://WWW.DROMUK.COM)



## Corner showers for every bathroom.

Tylö offers a variety of corner showers for domestic use and public facilities alike. They may look very different, but they all have one thing in common – the high quality that has become a byword for Tylö.


One of the big advantages of our corner showers is their simplicity. All you need is a water supply and a wastepipe or floor drain connected to the wastewater system. Another advantage is flexibility. You can fold away one of our corner showers when it's not in use, or equip another to serve as a steam room. And the size and shape is up to you. No one offers the same combination of quality, simplicity and flexibility as Tylö.

## Swing (Art. 8900 9125)

Swing is ideal where space is at a premium. Two elegantly curved door sections in 6 mm tempered safety glass. Adjustable aluminium side posts wide enough to allow room for the passage of surface-mounted pipes. The door sections open both inwards and outwards, and stay put automatically at the chosen position. By folding the doors in when the shower is not in use, you free up the maximum amount of floor space.

**IMPORTANT!** As this shower has no floor-seal it is recommended primarily for shower rooms where the floor slopes towards a waste outlet. As there is no threshold the shower is practical for disabled people.

Size: 900 x 900 mm, height 1900 mm.



## Filler profiles

You can use these natural anodised aluminium assembly profiles to make it easier to adapt your shower to the size of your bathroom.

### UPH (Art. 9022 8105)

For use where water pipes are surface mounted or for increasing the installation size by 55 mm.

### SP Linking strip

(Art. 9022 8115)

Profile for linking shower wall to Parant.

### KP Combi-profile

(Art. 9022 8125)

T-shaped linking strip.

